

VKSI0297

Connection technology • Data transfer

Connection cable RS232/Ethernet, 0.5m, M5 Male (connector) 4pin Straight, M12 Male (connector) 4pin Straight, D-coding, PUR (Polyurethane), Aluminum



Electrical features

Type of plug-in contact, A connection	Male (connector)
Type of plug-in contact, B connection	Male (connector)
Type of A electrical connection	M5
Type of B electrical connection	M12
Number of pins of A connection	4
Number of pins of B connection	4
Supported communication interface	RS232

Mechanical features

Cable length	0.5m
Cable infeed of A connection	straight
Cable infeed of B connection	straight
Coding of connection B	D
Housing material	Aluminum
Material of cable sheath	PUR (Polyurethane)
Ambient temperature	-25 - 65°C

Other features

Version	Connection cable RS232/Ethernet
Ambient temperature	-25 - 65°C


Classification

ETIM 8	EC001408 PC cable
eClass 7.0	27279218
eClass 7.1	27279218
eClass 8.0	27279218
eClass 9.0	27060311
eClass 9.1	27060311

More

IPF Product Group	705 special devices (SI)
packaging dimensions	160 x 99 x 60 mm
gross weight	190 g
Customs tariff number	85444290
WEEE number	40951076
Reach-compliant	Yes
RoHS-compliant	Yes

Connection



Installation



Mounting / installation may only be carried out by a qualified electrician!

Disposal



Safety warnings

Before initial operation, please make sure to follow all safety instructions that may be provided in the product information.

Never use these devices in applications where the safety of a person depends on their functionality.

For suitable connection and mounting accessories, please refer to our website www.ipf-electronic.com.

Any software, drivers or IODD files that may be required to operate your device can be downloaded free of charge from our homepage: www.ipf-electronic.com

Dimensional drawing

